



The Beaney House of Art and Knowledge, Canterbury
Architect: John Miller & Partners with Sidell Gibson
Lighting Specialist: Lightwaves

Baltic Spotlight

High Performance Track Spotlight for Gallery Works





THE BALTIC SPOTLIGHT

DAL developed the BALTIC spotlight range with the needs of art gallery, museum, exhibition curators and designers in mind. The specifier has a choice of Xicato LED light engine with Ra>80 or Ra>98 colour rendering and interchangeable reflectors. BALTIC has an integral dimmable driver with a rotary on-board dimmer switch. The standard finish is white. Suitable for track mounting, a universal 3 circuit type adaptor comes as standard. BALTIC is also fully adjustable and lockable; the perfect lighting solution for accurate and controllable lighting.


The BALTIC spotlight was named after the first gallery it was specified for; the Baltic Gallery, Gateshead. Since then the BALTIC has lit many galleries and exhibitions:

The Beaney House of Art and Knowledge, Canterbury
Tate Modern
Tate Britain
Nottingham Castle Museum
National Portrait Gallery, London
Kirkby Suite, Liverpool
The Courtauld Gallery
Open Eye Gallery, Liverpool
De Vuyst Gallery, Belgium
Ikon Gallery, Birmingham


Ikon Gallery, Birmingham
Max Hetzler Gallery, Germany
Tate Modern New Extension
Some Baltic TH Projects:
Derby Museum & Art Gallery
Arts Council England
The Baltic, Gateshead
Compton Verney
The Courtauld, London
Grundy Art Gallery, Blackpool
Karsten Schubert, London

Leeds Art Gallery
Moderna Museet, Stockholm
National portrait Gallery, London
Museo Nacional de Bellas Artes, Santiago, Chile
Plymouth City Museum
Roemer und Pelizaeus-Museum, Hildesheim
The White Cube, London
Timothy Taylor Gallery
Yeovil Art Gallery

FEATURES



- 360 degree rotation
- Lockable vertical tilt angle
- Adjustment lever
- Integral 0-10v dimmable driver
- Rotary on-board dimmer
- Low and High output LED
- Xicato module
- Choice of CCT
- Choice of colour rendering
- Designed to withstand heavy use and regular positioning
- Robust aluminium construction
- Cast aluminium housing
- Integral heat sink
- Interchangeable reflectors
- Optional elongation beam
- All lens/reflector combinations give a smooth beam pattern and soft graduation and no edge effect
- A universal 3 circuit adaptor is supplied as standard. Other track adaptors can be supplied on request.




Holder Type A provides choice of beam distributions with interchangeable reflector




Holder Type B
Complete with narrow reflector



Holder Type C
Complete with wallwasher



Integral Dimmer



Snoot Attachment


Two different diameter available for reflector holder Type A & B, length customizable



D3700 Barn Doors

For reflector holder Type A only


SIZE AND LIGHTING DATA



Product Number	LED	Initial Lumens	CCT	CRI	Watt
D150020B210*045	Xicato	2000 lm	2700K	95+	20 W
D150020B310*045	Xicato	2000 lm	3000K	95+	20 W
D150020B410*045	Xicato	2000 lm	3500K	95+	20 W
D150020B510*045	Xicato	2000 lm	4000K	95+	20 W

D5400 Narrow Reflector


Complete with reflector holder Type B



H(m)	DIA (m)	E(lx)
1	0.24	9128
2	0.48	2282
3	0.71	1014
4	0.95	571
5	1.19	365

D5500 Medium Reflector


Using with reflector holder Type A



H(m)	DIA (m)	E(lx)
1	0.36	5799
2	0.73	1450
3	1.09	644
4	1.46	362
5	1.82	232

D5600 Wide Reflector


Using with reflector holder Type A



H(m)	DIA (m)	E(lx)
1	0.77	2443
2	1.55	611
3	2.32	271
4	3.09	153
5	3.87	98

D5700 Flood Reflector


Using with reflector holder Type A



H(m)	DIA (m)	E(lx)
1	1.24	1339
2	2.49	335
3	3.73	149
4	4.97	84
5	6.22	54

D5800 Wallwasher


Complete with reflector holder Type C



H(m)	DIA (m)	E(lx)
1	1.24	1339
2	2.49	335
3	3.73	149
4	4.97	84
5	6.22	54

D5900 Elliptical Lens

(69°x24° w/ D5500, 80°x42° w/ D5600, 89°x53° w/ D5700)



H(m)	DIA (m)	E(lx)
1	0.77	1327
2	1.54	332
3	2.31	147
4	3.08	83
5	3.85	53

DAL LONDON STUDIO

UNDERWOOD WORKS, 6-14 UNDERWOOD STREET, LONDON, N1 7JQ

+44 (0)207 4903998

SALES@DAL-UK.COM

WWW.DAL-UK.COM

